

Attorney's Docket No.: 24180.205

PATENT

APPLICATION

for

UNITED STATES LETTERS PATENT

by

RYAN CYR

on the invention entitled

POCKET FOR CARRYING REUSABLE ITEMS

AND HAVING MEANS FOR

DETERMINING WHICH OF THE REUSABLE ITEMS

CONTAINED THEREIN HAVE BEEN USED OR NOT USED

assigned to

TAMRAC, INC.

Customer No.: 021907

Deposit Account No.: 18-2222

Pages of Specification: Twenty-Two (22)

Sheets of Drawing: Three (3)

prepared by

ROZSA & CHEN LLP

Attorneys At Law

15910 Ventura Boulevard, Suite 1601

Encino, California 91436-2815

Telephone (818) 783-0990

Facsimile (818) 783-0992

e-mail: counsel@rozsa-chen.com

1 **POCKET FOR CARRYING REUSABLE ITEMS**
2 **AND HAVING MEANS FOR DETERMINING**
3 **WHICH OF THE REUSABLE ITEMS**
4 **CONTAINED THEREIN HAVE BEEN USED OR NOT USED**
5
6
7
8

9 **BACKGROUND OF THE INVENTION**
10

11 **1. Field of the Invention**
12

13 The present invention relates generally to the field of containers. More particularly, the
14 present invention relates to the field of media storage pockets, panels or a part of a bag for
15 carrying reusable items such as recording medium cartridges therein.
16

17 **2. Description of the Prior Art**
18

19 Specifically, media storage pouches are well known in the art. These media storage
20 pouches are used for carrying reusable cartridges therein. Typically, people often do not
21 remember whether they have used a particular cartridge and therefore, it is possible that they
22 may inadvertently record over the same cartridge, thereby destroying valuable photographs or
23 have the cartridge rendered unsafe because its memory is full. However, none of the prior arts
24 disclose an indicating means capable of being tucked under the reusable items and then placed
25 outside of the pocket and over the reusable items after it has been used.
26

27 The following eleven (11) prior art references are found to be pertinent to the field of the
28 present invention:

1 1. United States Patent No. 2,625,261 issued to Swift on January 13, 1953 for
2 "Fisherman's Fly Book" (hereafter the "Swift Patent");

3
4 2. United States Patent No. 5,237,601 issued to Boutet *et al.* on August 17, 1993 for
5 "Radiographic Cassette Having Coding For Identifying Exposed And Unexposed Film"
6 (hereafter the "Boutet Patent");

7
8 3. United States Patent No. 5,497,879 issued to Kao on March 12, 1996 for "Film
9 Status Cap" (hereafter the "Kao Patent");

10
11 4. United States Patent No. 5,588,527 issued to Youngs on December 31, 1996 for
12 "Storage Container With Integral Flap" (hereafter the "Youngs Patent");

13
14 5. United States Patent No. 5,628,399 issued to Engen on May 13, 1997 for
15 "Indicating CD Case Insert" (hereafter the "Engen Patent");

16
17 6. United States Patent No. 5,772,020 issued to Hara on June 30, 1998 for "Sheet
18 For Holding Information Recording Carriers" (hereafter the "Hara Patent");

19
20 7. United States Patent No. 5,794,772 issued to Makinen *et al.* on August 18, 1998
21 for "Container For Recordable Digital Optical Discs With Window And Scale For Determining
22 Available Space" (hereafter the "Makinen Patent");

23
24 8. United States Patent No. 6,230,885 issued to Rochelo *et al.* on May 15, 2001 for
25 "Memory Card Protective Carrier" (hereafter the "Rochelo Patent");

26
27 9. United States Design Patent No. 428,755 issued to Bergh on August 1, 2000 for
28 "Storage Wallet For Cassettes" (hereafter "the '755 Bergh Patent");

1 10. United States Design Patent No. 434,262 issued to Bergh *et al.* on November 28,
2 2000 for "Sleeve For Holding Digital Video Discs With A Write-On Title Strip" (hereafter "the
3 '262 Bergh Patent"); and

4
5 11. Patent Cooperation Treaty (PCT) No. WO 96/41758 issued to Hara for "Holding
6 Sheet For Information Recording Media" (hereafter "the '758 PCT").

7
8 The Swift Patent discloses a fisherman's fly book which is a storage book having
9 separate compartments with visual identifiers. It provides for visual identification and selection
10 of the flies of each type and to provide protection against damage of the files until they are
11 removed for use. The storage book comprises a plurality of transversely across spaced slits
12 which form pockets and a removable envelope is carried in each pocket which has identification
13 markings thereto.

14
15 The Boutet Patent discloses a radiographic cassette having coding for identifying
16 exposed and unexposed film. This is accomplished by color coding two adjacent side edges of
17 the cassette with color different from the other side edges of the cassette.

18
19 The Kao Patent discloses a film canister having a status cap for indicating if the film is
20 either exposed or unexposed.

21
22 The Youngs Patent discloses a storage container for a single compact disc. The container
23 is provided with an integral flap for access to the storage compartment which holds the compact
24 disc.

25
26 The Engen Patent discloses a compact disc case insert having a colored flag for
27 indicating that the case is empty. The case has a slot in the edge of the tray which has the
28 colored flag in the form of a spring loaded clip. When a disc is inserted into the case, the clip is

1 pushed against the low tension of a spring attached to the clip. When the clip is removed by the
2 insertion of a disc, the colored flag appears in a window in the case. When the disc is removed,
3 the spring moves the flag so it is not visible, indicating that the case is empty.

4
5 The Hara Patent discloses a plastic sheet for holding information recording carriers in the
6 form of small floppy disks. It includes a removable index strip from the bottom of the sheet and
7 mounting it by inserting it into the insertion groove on top of the sheet for identifying the
8 information recording carriers contained in the holding cavities in the holding sheet.

9
10 The Makinen Patent discloses a container for recordable digital optical discs with
11 window and scale for determining available space.

12
13 The Rochelo Patent discloses a memory card protective carrier for carrying memory
14 cards and for protecting data transfer ports of the cards. It comprises an indexing strip for
15 identifying the carrier.

16
17 The '755 Bergh Patent discloses a storage wallet for cassettes.

18
19 The '262 Bergh Patent discloses a sleeve for holding digital video discs with a write-on
20 title strip.

21
22 The '758 PCT discloses a holding sheet for an information recording media. This '758
23 PCT corresponds to the Hara Patent issued on June 30, 1998.

24
25 It is desirable to provide a medium storage pocket, panel or part of a bag having
26 indicating means for determining which of the reusable items such as recording medium
27 cartridges contained therein has been used or not used in a much more efficient way, with which
28 the user can avoid this significant disadvantage in the prior art.

SUMMARY OF THE INVENTION

The present invention is a medium storage pocket, panel or part of a bag for carrying reusable items such as recording medium cartridges, rechargeable batteries, etc. and having means for determining which of the items contained within the pouch have been used or not used.

The medium storage pocket comprises a plurality of separate indicating means, each comprising a red indicating flag which is sewn into the lining of the pocket which is designed to carry reusable items such as reusable recording medium cartridges. Accordingly, the invention enables the items to be stored in the pocket. The indicating flag is then moved out of the pocket so that it is exposed over the cartridge and in this way the user knows that the item has already been used and therefore, will not inadvertently reuse it and record over it unless they intend to do so and the user will not attempt to use a medium that has no storage capacity available. Before the item such as the recording medium is used, the flag is within the pocket and tucked under the recording medium.

It is an object of the present invention to provide an item storage pocket which includes indicating means for determining which of the reusable items contained within the pockets of a carrying pouch have already been used or not used.

Further novel features and other objects of the present invention will become apparent from the following detailed description, discussion and the appended claims, taken in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Referring particularly to the drawings for the purpose of illustration only and not limitation, there is illustrated:

FIG. 1 is an enlarged front perspective view of a reusable item storage pouch or container in its closed condition in accordance with the present invention;

FIG. 2 is a front elevational view of the present invention reusable item storage pouch or container in its open condition, showing two flag indicators over two of the pockets and the other flag indicators being tucked underneath the reusable items stored in the pockets of the storage pouch;

FIG. 3 is a cross sectional view taken along line 3-3 of FIG. 2;

FIG. 4 is a rear perspective view of the reusable item storage pouch or container in its open condition in accordance with the present invention; and

FIG. 5 is a perspective of an alternative embodiment of a reusable item pocket attached to a bag in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Although specific embodiments of the present invention will now be described with reference to the drawings, it should be understood that such embodiments are by way of example only and merely illustrative of but a small number of the many possible specific embodiments which can represent applications of the principles of the present invention. Various changes and modifications obvious to one skilled in the art to which the present invention pertains are deemed to be within the spirit, scope and contemplation of the present invention as further defined in the appended claims.

Referring to Figure 1, there is shown at 10 the present invention medium storage pouch, bag or container in its closed condition for carrying and storing reusable items which by way of example are reusable recording medium cartridges therein (shown in dashed lines, see Figure 2) such as cassette tapes, compact discs, digital camera recording mediums such as compact flash, smart media, memory stick, multimedia, microdrive and PC cards, rechargeable batteries or any reusable item (defined cumulatively as reusable items). The pouch or container 10 may be constructed from Cordura® nylon material, a cotton duck material, or any suitable material that can readily be sewn for convenience in manufacturing. However, it will be understood that other materials may be utilized in the construction of the pouch or container 10. The pouch or container 10 is generally a substantially rectangular shaped structure in its closed condition, but it may be a square, oval, round or any other shape if desired.

Referring to Figures 1 and 2, the pouch or container 10 includes an elongated foldable panel 12 which is foldable in its widthwise direction and is made from a flexible sheet of material. The foldable panel 12 includes an interior surface 14 and an exterior surface 16. The foldable panel 12 forms three sections which include a left section 18, a middle section 20 and a right section 22, where the right and left sections 18 and 22 are foldable by fold lines 24 onto the middle section 20 as shown in Figure 1. A plurality of small pockets 26 are attached to the

1 interior surface 14 of the panel 12 for storing and carrying reusable items 2 therein, which
2 reusable items can be cassette tapes, compact discs, digital camera recording medium,
3 rechargeable batteries, etc. There are at least two pockets 26 for each section of the foldable
4 panel 12. These pockets 26 are fitted in the customary manner by being sewn onto the interior
5 surface 14 of the foldable panel 12. Each pocket 26 has four sides, wherein three sides are sewn
6 to the foldable panel 12 and the fourth side is a top opening 28 which is open to the pocket 26 for
7 allowing the reusable item 2 to be inserted or removed from the pocket 26.

8
9 It will be appreciated that the plurality of pockets is not limited to six pockets as
10 illustrated in Figure 2. It is emphasized that while six pockets have been illustrated, it is also
11 within the spirit and scope of the present invention to have one, two, three, four, five, six, seven,
12 eight pockets or any other number of pockets.

13
14 Referring to Figures 2 and 3, there are provided indicating flags or means 30 which are
15 respectively attached to the interior surface 14 by stitching and located adjacent to the top
16 opening 28 of each pocket 26. Each indicating flag 30 can be moved over and cover the top
17 opening 28 of the pocket 26 as shown or it can be tucked within the pocket 26 and underneath the
18 cartridge 2. The function of the indicating flag 30 is to remind or indicate which one of the
19 reusable items 2 contained within the pockets 26 has been used or not used by the user.

20
21 Referring to Figures 2 and 4, there is provided a flap 40 which is attached to an upper end
22 32 of the middle section 20 of the foldable panel 12 by stitching and can be folded downwardly to
23 secure the three sections together (see Figure 1). To secure the three sections 18, 20 and 22
24 together, fasteners 42, 44, 46 and 48 are provided in accordance with the present invention and
25 are known in the art as Velcro[®] loop and hook type fasteners.

26
27 There is shown on the exterior surface 16 of the foldable panel 12, a small loop or hook
28 type fastener 42 located on the left section 18 and a strip of loop or hook type fastener 44 on the

1 right section 22. A mating strip of loop or hook type fastener 46 is located on the interior surface
2 14 of the foldable panel 12 and located on the left section 18 which corresponds and mates with
3 the strip loop or hook type fastener 44. A mating loop or hook type fastener 48 is located on the
4 flap 40 which corresponds and mates with the small loop or hook type fastener 42. There is
5 further provided a strap 50 centrally located on the panel 12. The strap 50 has one end 52 sewn
6 onto the exterior surface 16 of the 12 panel and a free end 54 which has a typical snap-on fastener
7 56 for securing the free end to the panel 12. The strap 50 may be used for securing the pouch 10
8 to a user's cloth or the like.

9
10 Accordingly, the present invention enables the reusable items 2 to be stored in the pocket
11 26 and then the indicating means 30 may be moved out of the pockets 26 of the pouch 10 so that
12 it is exposed over the reusable item 2, so that the user knows that the reusable item 2 has already
13 been used and to not reuse it such as to record over it unless they intend to do so.

14
15 The key novel feature of the present invention is the flexible indicating means 30 which
16 can be tucked under the reusable item 2 to show the user that the reusable item 2 has not been
17 used and can then be removed and placed over the reusable item 2 to show that the reusable item
18 2 has been used.

19
20 While the opening 28 of each pocket 26 has been shown in the top of the pocket 26 so the
21 indicating means 30 is above the pocket 26, it will be appreciated that the opening can be on the
22 lower end of the pocket so that the indicating means is beneath the pocket or the opening can be
23 on either side edge of the pocket so that the indicating means is adjacent one side of the opening.
24 In any of the embodiments, the indicating means 30 is beneath the reusable item 2 when the
25 reusable item 2 is unused and above the reusable item 2 to show that it has been used.

26
27 It will be appreciated that the color of the indicating flag is not limited to red. It is
28 emphasized that while the red color of the indicating flag 30 is preferred, it is also within the

1 spirit and scope of the present invention to utilize other colors as desired.

2
3 The present invention conforms to conventional forms of manufacture or any other
4 conventional way known to one skilled in the art.

5
6 Referring to Figure 5, there is shown at 110 an alternative embodiment of the present
7 invention pocket which is now shown as a pocket 110 that can be attached to the interior of a bag
8 2 by stitching means, Velcro[®] loop and hook type fasteners or any other suitable means. It will
9 be appreciated that the embodiment shown in Figure 5 is intended to illustrate the present pocket
10 attached to any carrying type case such as the interior or exterior of a bag for carrying
11 photographic items and cameras as illustrated in Figure 5 or alternatively, any other type of
12 carrying case or bag. It is within the spirit and scope of the present invention to have at least one
13 pocket either permanently or removably affixed to either the interior or exterior of the carrying
14 case or bag and having means for determining whether at least one reusable item such as a
15 recording medium contained within the pouch has been used or not used which means is the
16 indicating flag of the present invention wherein the indicating flag 112 can be tucked underneath
17 the reusable item when the reusable item has not been used and is placed to lay over the reusable
18 item when the reusable item has been used. The device consisting of at least one pocket
19 assembles and functions the same as has previously been described for a multiplicity of pockets
20 except that in its broadest form the present invention comprises at least one pocket 110 which has
21 an indicating means 112 which functions the same as previously described indicating means 30.
22 In the preferred embodiment the indicating means is a flag which can be tucked under the
23 reusable item as previously illustrated when the reusable item has not been used and can be
24 placed over the reusable item as previously illustrated when the reusable item has been used.
25 While the present invention has been described as being used with a pocket for retaining the
26 reusable item, it will be appreciated that the pocket can be substituted by a panel or a part of a bag
27 or any other retaining means for retaining the reusable item in its interior or on its exterior. While
28 the pocket is illustrated as being permanently affixed to the bag in Figure 5, it will be appreciated

1 that the pocket 110 can also be removably affixed by means of mating hook and loop fasteners or
2 snaps, or any other means by which the pocket can be removably affixed.

3
4 Defined in detail, the present invention is a storage pouch for storing and carrying
5 reusable items and having means for determining which of the reusable items contained therein
6 have been used or not used, the storage pouch comprising: (a) a foldable panel made from a
7 flexible sheet of material and having an interior surface and an exterior surface, the foldable panel
8 forming three sections, where two of the three sections are foldable onto a stationary section; (b)
9 a plurality of pockets for respectively retaining the reusable items, each pocket attached to said
10 interior surface and having a top opening for accessing said each pocket; (c) a multiplicity of
11 indicating flags wherein a respective indicating flag is respectively attached to said interior
12 surface and located adjacent to said top opening of a respective one of said each pocket, where
13 the indicating flag is movable to cover said top opening of said each pocket or tucked within said
14 each pocket for respectively indicating which one of the reusable items contained therein have
15 been used or not used; and (d) a flap attached to an upper end of said foldable panel and having
16 means for securing the flap to said foldable panel to secure said three sections together in its
17 closed condition; (e) whereby said pouch enables the reusable items to be stored therein by said
18 plurality of pockets and in addition said indicating flag of said each pocket is either moved out of
19 said each pocket to show that a reusable item has been used or tucked within said each pocket to
20 show that the reusable item has not been used.

21
22
23 Defined broadly, the present invention is a storage pouch for storing and carrying reusable
24 items and having means for determining which of the reusable items contained therein have been
25 used or not used, the storage pouch comprising: (a) a foldable panel having an interior surface and
26 an exterior surface, the foldable panel forming at least three sections, where two of the three
27 sections are foldable onto a stationary section; (b) a plurality of pockets for respectively retaining
28 the reusable items, each pocket attached to said interior surface and having an opening for

accessing said each pocket; (c) an indicating flag respectively attached to said interior surface and located adjacent to said opening of said each pocket, where the indicating flag is movable to cover said opening of said each pocket or tucked within said each pocket for respectively indicating which one of the reusable items contained therein have been used or not used; and (d) a flap attached to said foldable panel and having means for securing the flap to said foldable panel to secure said three sections together in a closed condition; (e) whereby said pouch enables the reusable items to be stored therein by said plurality of pockets and in addition said indicating flag of said each pocket is either moved out of said each pocket to show that a reusable item has been used or tucked within said each pocket to show that the reusable item has not been used.

Defined more broadly, the present invention is a container for storing and carrying reusable items and having means for determining which of the reusable items contained therein have been used or not used, the container comprising: (a) a foldable panel having an interior surface and an exterior surface; (b) a plurality of pockets for respectively retaining the reusable items, each pocket attached to the interior surface and having an opening for accessing the each pocket; and (c) a multiplicity of indicating flags wherein a respective indicating flag is respectively attached to the interior surface and located adjacent to the opening of a respective one of the each pocket, where the indicating flag is movable to cover the opening of the each pocket or tucked within the each pocket for respectively indicating which one of the reusable items contained therein have been used or not used; (d) whereby the container enables the reusable items to be stored therein by the plurality of pockets and in addition the indicating flag of the each pocket is either moved out of the each pocket to show that a reusable item has been used or tucked within the each pocket to show that the reusable item has not been used.

Defined even more broadly, the present invention is a container for storing and carrying reusable items and having means for determining which of the reusable items contained therein have been used or not used, the container comprising: (a) a panel having at least one surface; (b) a plurality of pockets for respectively retaining the reusable items, each pocket attached to the at

1 least one surface and having an opening for accessing the each pocket; and (c) a multiplicity of
2 indicating means wherein a respective indicating means is respectively attached to the at least one
3 surface and located adjacent to the opening of a respective one of the each pocket, where the
4 indicating means respectively indicate which one of the reusable items contained therein have
5 been used or not used.

6
7 Defined still even more broadly, the present invention is a container for storing and
8 carrying at least one reusable item and having means for determining whether the at least one
9 reusable item contained therein has been used or not used, the container comprising: (a) a panel
10 having an interior surface and an exterior surface; (b) at least one pocket for retaining the reusable
11 item, the at least one pocket attached to the interior surface and having an opening for accessing
12 the at least one pocket; and (c) an indicating means attached to the interior surface and located
13 adjacent to the opening of the at least one pocket, where the indicating means can be used to
14 indicate whether the reusable item has been used or not used by having the indicating means
15 placed under the reusable item if the reusable item has not been used and by having the indicating
16 means placed so that it lies over the reusable item if the reusable item has been used.

17
18 Defined still even more broadly, the present invention is a container for storing and
19 carrying at least one reusable item and having means for determining whether the at least one
20 reusable item contained therein has been used or not used, the container comprising: (a) a panel
21 having an interior surface and an exterior surface; (b) at least one pocket for retaining the reusable
22 item, the at least one pocket attached to the exterior surface and having an opening for accessing
23 the at least one pocket; and (c) an indicating means attached to the exterior surface and located
24 adjacent to the opening of the at least one pocket, where the indicating means can be used to
25 indicate whether the reusable item has been used or not used by having the indicating means
26 placed under the reusable item if the reusable item has not been used and by having the indicating
27 means placed so that it lies over the reusable item if the reusable item has been used.

1 Of course the present invention is not intended to be restricted to any particular form or
2 arrangement, or any specific embodiment, or any specific use, disclosed herein, since the same
3 may be modified in various particulars or relations without departing from the spirit or scope of
4 the claimed invention hereinabove shown and described of which the apparatus or method shown
5 is intended only for illustration and disclosure of an operative embodiment and not to show all of
6 the various forms or modifications in which this invention might be embodied or operated.

7
8 The present invention has been described in considerable detail in order to comply with
9 the patent laws by providing full public disclosure of at least one of its forms. However, such
10 detailed description is not intended in any way to limit the broad features or principles of the
11 present invention, or the scope of the patent to be granted. Therefore, the invention is to be
12 limited only by the scope of the appended claims.

13
14 **WHAT IS CLAIMED IS:**
15
16
17
18
19
20
21
22
23
24
25
26
27
28